




072505

1/9

10/682.144

SCAN OF THE STAINED BLOTTING MEMBRANE FROM EXAMPLE 1


LANE
FINAL DILUTION1 2 3 4 5 6 7 8
1 : 10 20 40 80 160 320 640 1280**FIG. 1**



Final dilution 1:10

1 Standard human plasma


Bands (%)	
1-5	40
6-10	30
11...	30



Final dilution 1:20

2 Standard human plasma


Bands (%)	
1-5	38
6-10	33
11...	29



Final dilution 1:40

3 Standard human plasma


Bands (%)	
1-5	36
6-10	31
11...	33



Final dilution 1:80

4 Standard human plasma


Bands (%)	
1-5	38
6-10	32
11...	30



Final dilution 1:160

5 Standard human plasma

Bands (%)	
1-5	41
6-10	35
11...	24



Final dilution 1:320

6 Standard human plasma

Bands (%)	
1-5	40
6-10	33
11...	27





FIG. 2

SCAN OF THE STAINED BLOTTING MEMBRANE FROM EXAMPLE 2



LANE
FINAL DILUTION (l/ml)

1	2	3	4	5	6	7	8
1: 0.2							
2: 0.1							
3: 0.05							
4: 0.025							
5: 0.0125							
6: 0.006							
7: 0.003							
8: 0.0015							

FIG. 3

Final dilution 0.2 IU/ml


1 Heamate HS

Bands (%)

1-5 47

6-10 35

11... 18



Final dilution 0.1 IU/ml


2 Heamate HS

Bands (%)

1-5 44

6-10 37

11... 18



Final dilution 0.05 IU/ml


3 Heamate HS

Bands (%)

1-5 42

6-10 39

11... 19



Final dilution 0.025 IU/ml


4 Heamate HS

Bands (%)

1-5 41

6-10 43

11... 16



Final dilution 0.0125 IU/ml


5 Heamate HS

Bands (%)

1-5 47

6-10 38

11... 16



Final dilution 0.006 IU/ml


6 Heamate HS

Bands (%)


1-5 81

6-10 3

11... 16

**FIG. 4**

SCAN OF THE COOMASSIE BLUE - STAINED GEL FROM EXAMPLE 3




5 HUMATE-P (150 μ l SAMPLE + 50 μ l BUFFER)
6 HUMATE-P (200 μ l SAMPLE + 50 μ l BUFFER)
7 HAEMATE-HS (150 μ l SAMPLE + 50 μ l BUFFER)
8 HAEMATE-HS (150 μ l SAMPLE + 50 μ l BUFFER)

FIG. 5


Lane 5

Humate-P	
Bands	(%)
1-5	23
6-10	40
11...	38




Lane 6

Humate-P	
Bands	(%)
1-5	25
6-10	40
11...	36




Lane 7

Haemate-HS	
Bands	(%)
1-5	19
6-10	40
11...	41
(Evaluation without artefact)	



Lane 8

Haemate-HS	
Bands	(%)
1-5	20
6-10	38
11...	43

**FIG. 6**

SCAN OF THE COOMASSIE BLUE - STAINED GEL FROM EXAMPLE 4





FIG. 7


SCAN OF THE IMMUNOSTAINED BLOTTING MEMBRANE
FROM EXAMPLE 5

LANES 1 AND 8: FIBRINOGEN REFERENCE SAMPLE
LANES 2-7: VARIOUS FIBRINOGEN BATCHES




8 7 6 5 4 3 2 1


FIG. 8




1
Standard Human Plasma



2
Humate-P



3
Humate-P



4
Humate-P

FIG. 9